

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An image storage and display system comprising an image server storing image data recorded on a high readout-speed capable storage medium, and a display terminal connected to said image server via a network, wherein;

said image server is provided with a storage control means that creates reversible compressed image data of an original image data, and at least one irreversible compressed image data, and stores in said storage medium said original image data or said reversible compressed image data, and said at least one irreversible compressed image data, which stand for ~~the~~ multiple versions of image data, and

said display terminal is provided with an input means capable of receiving specification of ~~a~~the version of the image data or an image data group to be displayed on said display terminal, and an acquisition means for acquiring the version of said image data or said image data group received in said input means.

2. (previously presented): An image storage and display system according to claim 1 in which said storage control means is capable of changing a compression ratio of said irreversible compressed image data.

3. (currently amended): An image storage and display system according to claim 1 or 2, wherein;

said input means is capable of ~~receiving~~receiving specification of the version of image data as an image quality and/or image usage purpose represented by each version of said image data, and said storage control means assigns to each version a parameter or parameters representing the image quality and/or image usage purpose represented by said each version of image data, and stores said each version of image data in the storage medium, and

said acquisition means acquires the version of image data corresponding to the desired image quality and/or image usage purpose received in the input means.

4. (original): An image storage and display system according to claim 1 or 2, wherein;

for cases in which said image data group is to be acquired, said input means is capable of receiving specification of the version thereof as the image quality and/or image usage purpose of each examination or series specified by said image data group, and

said storage control means assigns to each version of said image data a parameter or parameters representing the image quality and/or image usage purpose of each examination or series specified by said image data group, and stores each said version of image data in the storage medium, and

said acquisition means acquires the version of said image data group corresponding to the image quality and/or image usage purpose of each desired examination or series received in said input means.

5. (original): An image storage and display system according to claim 1 or 2, wherein;

said storage control means obtains said irreversible compressed image data by subjecting said original image data to a progressively extractable data-compression process, and

said acquisition means, for cases in which the version received in said input means corresponds to irreversible compressed image data, changes the progressive expansion level of said irreversible compressed image data, according to the predetermined conditions, and acquires said irreversible compressed image data.

6. (original): An image storage and display system according to claim 1 or 2, wherein;

said storage control means stores in said storage medium said multiple versions of image data along with the original image data diagnostic information, and

said acquisition means acquires the versions of image data and image data groups along with said diagnosis information received in said input means.

7. (original): An image storage and display system according to claim 1 or 2,
wherein;

said image server is provided with a diagnosis-status management means for managing
the diagnosis status of said original image data, and

said storage control means controls, according to said diagnostic status, which versions of
image data are acquired at said display terminal.

8. (original): An image storage and display system according to claim 1 or 2,
wherein;

said image server is provided with an other storage medium in addition to the high
readout-speed capable storage medium, and

said storage control means deletes the original image data and the reversible compressed
image data from the high readout-speed capable storage medium after a predetermined period of
time has elapsed, and stores said original image data and said reversible compressed image data
in said other storage medium.

9. (previously presented): An image storage and display system according to claim
1 or 2, wherein;

said image server is provided with an other storage medium in addition to the high
readout-speed capable storage medium, and

said storage control means stores all versions of image data in both said high readout-speed capable storage medium and said other storage medium, and deletes the original image data and the reversible compressed image data from said high readout-speed capable storage medium after a predetermined period of time has elapsed.

10. (original): An image storage and display system according to claim 1 or 2, wherein;

said image server is provided with an other storage medium in addition to the high readout-speed capable storage medium, and

said storage control means stores all versions of image data in said high readout-speed capable storage medium, stores said irreversible compressed image data in said other storage medium, and deletes said original image data or reversible compressed image data from said high readout-speed capable storage medium after a predetermined period of time has elapsed.

11. (previously presented): The image storage and display system of claim 2, wherein the compression ratio is 1/5 to 1/50.

12. (currently amended): The image storage and display system of claim 5, wherein the progressively expandable data-compression process comprises subjecting the original image data to a wavelet transformation.

13. (previously presented): The image storage and display system of claim 12, wherein the wavelet transformation produces an image whose length and width are reduced by $\frac{1}{2}$, an image having a lengthwise edge component, an image having a widthwise edge component and an image having a diagonal edge component.

14. (currently amended): An image storage and display system comprising an image server storing image data recorded on a storage medium, and a display terminal connected to said image server via a network, wherein;

said image server is provided with a storage control means that creates reversible compressed image data of an original image data, and at least one irreversible compressed image data, and stores in said storage medium said original image data or said reversible compressed image data, and said at least one irreversible compressed image data, which stand for ~~the~~ multiple versions of image data, and

said display terminal is provided with an input means capable of receiving specification of ~~a~~ the version of the image data or an image data group to be displayed on said display terminal, and an acquisition means for acquiring the version of said image data or said image data group received in said input means,

wherein said storage control means is capable of changing a compression ratio of said irreversible compressed image data.

15. (previously presented): The image storage and display system of claim 1, wherein said original image data or said reversible compressed image data, and said at least one irreversible compressed image data are stored on one physical device.

16. (new): The image storage and display system of claim 1, wherein the version of the image data is defined by at least one of a compression ratio, compression type, image quality and volume.

17. (new): The image storage and display system of claim 1, wherein the image data group represents a plurality of image data with the same version.